SATCO NUVO

Project Name

Location

Prepared By



Notes

ww] 05-15-2024 04:42:

Specification Note

Installation Notes

| General | |
|---|--|
| Status | Discontinued |
| Substitute | S49676 |
| Watts | 100W |
| Incandescent Equivalent | 500W |
| Fluorescent Equivalent | 150W |
| HID Equivalent | 400W |
| Volts | 100V-277V |
| Shape | Corncob |
| Base | Mogul Extended |
| ANSI Base | EX39 |
| Finish | Clear |
| CCT (Kelvin) | 4000K |
| Temperature | Cool White |
| CRI | 80 |
| Lumens | 14000L |
| Beam Spread | 300 |
| Dimmable | Non-Dimmable |
| Hours Rated | 50000 |
| Product Category | Corncob |
| Technology | LED |
| Min Compartment Size | Length: 17.32 in. Width: 9.25 in. Depth: 9.25 in. |
| Ballasting Requirements | Ballast Bypass- Direct wire only 100V-277V |
| | |
| Electrical | |
| | AC 100-277V |
| Electrical Working Voltage Operating Frequency | AC 100-277V 50/60Hz |
| Working Voltage | |
| Working Voltage Operating Frequency | 50/60Hz |
| Working Voltage Operating Frequency Power Factor | 50/60Hz >0.9 |
| Working Voltage Operating Frequency Power Factor Operating Position | 50/60Hz >0.9 Base Up or Down |
| Working Voltage Operating Frequency Power Factor Operating Position Surge Protection | 50/60Hz >0.9 Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature |
| Working Voltage Operating Frequency Power Factor Operating Position Surge Protection Thermal Management | 50/60Hz >0.9 Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). |
| Working Voltage Operating Frequency Power Factor Operating Position Surge Protection Thermal Management Operating Temperature Physical | 50/60Hz >0.9 Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) |
| Working Voltage Operating Frequency Power Factor Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL | 50/60Hz >0.9 Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) 9.88 |
| Working Voltage Operating Frequency Power Factor Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD | 50/60Hz >0.9 Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) |
| Working Voltage Operating Frequency Power Factor Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish | 50/60Hz >0.9 Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control)25C (-13F) to +45C (+113F) 9.88 4.72 Clear |
| Working Voltage Operating Frequency Power Factor Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material | 50/60Hz >0.9 Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) |
| Working Voltage Operating Frequency Power Factor Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color | 50/60Hz >0.9 Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) White |
| Working Voltage Operating Frequency Power Factor Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (lb.) | 50/60Hz >0.9 Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) |
| Working Voltage Operating Frequency Power Factor Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color | 50/60Hz >0.9 Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) White |
| Working Voltage Operating Frequency Power Factor Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (lb.) | 50/60Hz >0.9 Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) White |
| Working Voltage Operating Frequency Power Factor Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information | 50/60Hz >0.9 Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control)25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) White 3.45 Emits no UV light; Contains no Mercury (Hg); Acceptable for use in |

DLC 5.1 replacement S23144;

Non-DLC replacement S49676

Not for use in vapor tight fixtures.

| Warranty | 5 Year Limited - Hi-Pro | |
|------------------------|-------------------------------|--|
| Compliance | | |
| Safety Listing | cULus - Listed | |
| Location Rating | Damp | |
| Energy Star | No | |
| DLC Approved | No | |
| CA T20 / T24 Rationale | Exempt - Base Not Regulated | |
| California Status | Lawful for sale in California | |
| Title 20 / 24 Status | Lawful for sale | |
| Colorado Status | Lawful for sale | |
| Hawaii Status | Lawful for sale | |
| Nevada Status | Lawful for sale | |
| Vermont Status | Lawful for sale | |
| Washington Status | Lawful for sale | |
| RoHS Compliant | Yes | |
| FCC Compliant | Yes | |
| SDS Sheet | LED_Lamp | |

Shatter resistant materials

Copyright 2023 Satco Products, Inc. All Rights Reserved

For More Information Visit: https://www.satco.com/

Shatter-Proof Type



