SATCO' NUVO

Project Name

oc Hame



Notes

General	
Status	Active
Watts	9.5W
Incandescent Equivalent	65W
Volts	120V
Shape	BR30
Base	Medium
ANSI Base	E26
Finish	White
CCT (Kelvin)	2700K-5000K
Temperature	Warm to Cool White/Color Changeable
CRI	90
Lumens	760L
Beam Spread	100
Dimmable	Yes-Dimmable
Hours Rated	25000
Product Category	Reflector
Technology	LED
Smart Product Info	
IOT Enabled	Yes
Communication Protocol	WiFi-2.4GHz
Voice Assistants Supported	Alexa; Google Home; Siri; SmartThings
Software Supported	Tuya/Starfish APP
Electrical	
Operating Frequency	60Hz
Specifications	
Dimming Type	Smart-Starfish App only
Dimming Type Dimming Note	Smart-Starfish App only Only with Starfish App
Dimming Type Dimming Note Power Factor	Smart-Starfish App only Only with Starfish App 0.7
Dimming Note Power Factor	Only with Starfish App
Dimming Note	Only with Starfish App 0.7
Dimming Note Power Factor Operating Position Operating Temperature	Only with Starfish App 0.7 Universal
Dimming Note Power Factor Operating Position Operating Temperature Physical	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS)
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS)
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (lb.)	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS)
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (lb.) Additional Information	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (lb.) Additional Information Rated For Enclosed Fixture	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34 Yes
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (Ib.) Additional Information Rated For Enclosed Fixture Warranty Compliance	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34 Yes 3 Year Limited
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (Ib.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34 Yes 3 Year Limited cULus - Certified; cULus - Listed
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (Ib.) Additional Information Rated For Enclosed Fixture Warranty Compliance	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34 Yes 3 Year Limited
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (Ib.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34 Yes 3 Year Limited cULus - Certified; cULus - Listed Damp
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (Ib.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34 Yes 3 Year Limited CULus - Certified; cULus - Listed Damp Lawful for sale in California
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (Ib.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status Title 20 / 24 Status	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34 Yes 3 Year Limited CULus - Certified; cULus - Listed Damp Lawful for sale in California Lawful for sale
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (Ib.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status Title 20 / 24 Status Colorado Status	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34 Yes 3 Year Limited CULus - Certified; cULus - Listed Damp Lawful for sale in California Lawful for sale Lawful for sale
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (Ib.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status Title 20 / 24 Status Colorado Status Hawaii Status	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34 Yes 3 Year Limited CULus - Certified; cULus - Listed Damp Lawful for sale in California Lawful for sale Lawful for sale Lawful for sale
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (Ib.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status Title 20 / 24 Status Colorado Status Hawaii Status Nevada Status	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34 Yes 3 Year Limited CULus - Certified; cULus - Listed Damp Lawful for sale in California Lawful for sale Lawful for sale Lawful for sale Lawful for sale Lawful for sale Lawful for sale
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (Ib.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status Title 20 / 24 Status Colorado Status Hawaii Status Nevada Status Vermont Status Washington Status	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34 Yes 3 Year Limited CULus - Certified; cULus - Listed Damp Lawful for sale in California Lawful for sale Lawful for sale
Dimming Note Power Factor Operating Position Operating Temperature Physical MOL MOD Lens Finish Lens Material Weight (Ib.) Additional Information Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status Title 20 / 24 Status Colorado Status Hawaii Status Nevada Status Vermont Status Vermont Status	Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F) 5.12 3.7 White Plastic (PS) 0.34 Yes 3 Year Limited CULus - Certified; cULus - Listed Damp Lawful for sale in California Lawful for sale Lawful for sale

LED_Lamp

SDS Sheet

