SATCO NUVO

Project Name

Prepared By



SATCO S39676

100W/LED/HID/4K/100-277V/EX39

Notes

Status	Discontinued
Substitute	S49676
Watts	100W
Incandescent Equivalent	500W
Fluorescent Equivalent	150W
HID Equivalent	400W
Volts	120V-277V
Shape	Corncob
Base	Mogul Extended
ANSI Base	EX39
Finish	Clear
CCT (Kelvin)	4000K
Temperature	Cool White
CRI	80+
Lumens	14000L
Beam Spread	300
Dimmable	Non-Dimmable
Hours Rated	50000
Product Category	Corncob
Technology	LED
Min Compartment Size	Length: 17.32 in. Width: 9.25 in. Depth: 9.25 in.
Ballasting Requirements	Ballast Bypass- Direct wire only 100V-277V
Electrical	
Working Voltage	AC 100-277V
Operating Frequency	50/60Hz
Dower Factor	0.0
Power Factor	>0.9
Operating Position	Sase Up or Down
Operating Position	Base Up or Down
Operating Position Surge Protection	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design
Operating Position Surge Protection Thermal Management	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control).
Operating Position Surge Protection Thermal Management Operating Temperature	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control).
Operating Position Surge Protection Thermal Management Operating Temperature Physical	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F)
Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control)25C (-13F) to +45C (+113F)
Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control)25C (-13F) to +45C (+113F) 9.88 4.72
Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control)25C (-13F) to +45C (+113F) 9.88 4.72 Clear
Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS)
Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control)25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) White
Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (Ib.)	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control)25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) White 3.45
Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) White 3.45 Emits no UV light; Contains no Mercury (Hg)
Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (Ib.) Additional Information	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) White 3.45 Emits no UV light; Contains no Mercury (Hg) Acceptable for use in food prep areas
Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Rated For Enclosed Fixture	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) White 3.45 Emits no UV light; Contains no Mercury (Hg) Acceptable for use in food prep areas Yes
Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Additional Info	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) White 3.45 Emits no UV light; Contains no Mercury (Hg) Acceptable for use in food prep areas Yes IP64 DLC 5.1 replacement S23144; Non-DLC
Operating Position Surge Protection Thermal Management Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (Ib.) Additional Information Additional Info Rated For Enclosed Fixture IP Rating Specification Note	Base Up or Down Built-in surge protection - 6KV Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control). -25C (-13F) to +45C (+113F) 9.88 4.72 Clear Plastic (PS) White 3.45 Emits no UV light; Contains no Mercury (Hg) Acceptable for use in food prep areas Yes IP64 DLC 5.1 replacement S23144; Non-DLC replacement S49676

Shatter-Proof Type	Shatter resistant materials
Warranty	5-Years
Compliance	
Safety Listing	cULus - Certified; cULus - Classified; cULus - Listed
Location Rating	Damp
DLC Approved	No
California Status	Lawful for sale in California
Title 20 / 24 Status	Lawful for sale
Colorado Status	Lawful for sale
Hawaii Status	Lawful for sale
Nevada Status	Lawful for sale
Vermont Status	Lawful for sale
Washington Status	Lawful for sale
RoHS Compliant	Yes
FCC Compliant	Yes
SDS Sheet	LED_Lamp

