## SATCO NUVO

Project Name

ocation

Prepared By



LED 3W JC/G6.35 12V 3000K 300L

Notes

General	
Status	Discontinued
Substitute	S12316
Watts	3W
Incandescent Equivalent	25W
HID Equivalent	35W
Volts	12V
Shape	Τ4
Base	Bi Pin G6.35
ANSI Base	G6.35
Finish	Clear
CCT (Kelvin)	3000K
Temperature	Warm White
CRI	80+
Lumens	300L
Beam Spread	360
Dimmable	Yes-Dimmable
Hours Rated	25000
Product Category	Miniature
Technology	LED
Electrical	
Dimming Type	Reverse Phase or Phase Selectable
Operating Temperature	-20C (-4F) to +45C (+113F)
Physical	
Physical MOL	1.63
	1.63 0.5
MOL	
MOL MOD	0.5
MOL MOD Weight (lb.)	0.5
MOL MOD Weight (lb.) Additional Information	0.5 0.01
MOL MOD Weight (lb.) Additional Information Installation Notes	0.5 0.01 Not for use in vapor tight fixtures.
MOL MOD Weight (lb.) Additional Information Installation Notes Rated For Enclosed Fixture	0.5 0.01 Not for use in vapor tight fixtures. Yes
MOL MOD Weight (lb.) Additional Information Installation Notes Rated For Enclosed Fixture Warranty	0.5 0.01 Not for use in vapor tight fixtures. Yes
MOL MOD Weight (lb.) Additional Information Installation Notes Rated For Enclosed Fixture Warranty Compliance	0.5 0.01 Not for use in vapor tight fixtures. Yes 5-Years
MOL MOD Weight (lb.) Additional Information Installation Notes Rated For Enclosed Fixture Warranty Compliance Safety Listing	0.5 0.01 Not for use in vapor tight fixtures. Yes 5-Years cETLus
MOL MOD Weight (lb.) Additional Information Installation Notes Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating	0.5 0.01 Not for use in vapor tight fixtures. Yes 5-Years cETLus Damp
MOL MOD Weight (lb.) Additional Information Installation Notes Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status	0.5 0.01 Not for use in vapor tight fixtures. Yes 5-Years CETLus Damp Lawful for sale in California
MOL MOD Weight (lb.) Additional Information Installation Notes Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status Title 20 / 24 Status	0.5 0.01 Not for use in vapor tight fixtures. Yes 5-Years CETLus Damp Lawful for sale in California Lawful for sale
MOL MOD Weight (lb.) Additional Information Installation Notes Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status Title 20 / 24 Status Colorado Status	0.5 0.01 Not for use in vapor tight fixtures. Yes 5-Years CETLus Damp Lawful for sale in California Lawful for sale Lawful for sale
MOL MOD Weight (lb.) Additional Information Installation Notes Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status Title 20 / 24 Status Colorado Status Hawaii Status	0.5 0.01 Not for use in vapor tight fixtures. Yes 5-Years CETLus Damp Lawful for sale in California Lawful for sale Lawful for sale Lawful for sale
MOL MOD Weight (lb.) Additional Information Installation Notes Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status Title 20 / 24 Status Colorado Status Hawaii Status Nevada Status	0.5 0.01 Not for use in vapor tight fixtures. Yes 5-Years CETLus Damp Lawful for sale in California Lawful for sale Lawful for sale Lawful for sale Lawful for sale
MOL MOD Weight (lb.) Additional Information Installation Notes Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status Title 20 / 24 Status Colorado Status Hawaii Status Nevada Status Vermont Status	0.5 0.01 Not for use in vapor tight fixtures. Yes 5-Years CETLus Damp Lawful for sale in California Lawful for sale Lawful for sale Lawful for sale Lawful for sale Lawful for sale Lawful for sale
MOL MOD Weight (lb.) Additional Information Installation Notes Rated For Enclosed Fixture Warranty Compliance Safety Listing Location Rating California Status Title 20 / 24 Status Colorado Status Hawaii Status Nevada Status Vermont Status Washington Status	0.5 0.01 Not for use in vapor tight fixtures. Yes 5-Years CETLus Damp Lawful for sale in California Lawful for sale Lawful for sale

