

## **SATCO S11744**

14T8/LED/48-840/BP/DE/347V

## Notes

General	
Status	Active
Watts	14W
Incandescent Equivalent	75W
Fluorescent Equivalent	32W
Volts	347V
Ballast Type	Туре В
Shape	T8
Base	Medium Bi Pin
ANSI Base	G13
Nominal Length	48
Finish	Gloss White
CCT (Kelvin)	4000K
Temperature	Cool White
CRI	82
Lumens	1800L
Beam Spread	210
Hours Rated	50000
Lamp Type	T8
Technology	LED
Electrical	
Ballasting Requirements	Ballast Bypass
Operating Frequency	50/60Hz
Power Factor	0.9
TUD	000/
THD	20%
Operating Temperature	-20% (-4F) to +45C (+113F)
Operating Temperature	
Operating Temperature  Physical	-20C (-4F) to +45C (+113F)
Operating Temperature  Physical  MOL	-20C (-4F) to +45C (+113F)
Operating Temperature  Physical  MOL  MOD	-20C (-4F) to +45C (+113F) 47.78
Operating Temperature  Physical  MOL  MOD  Material	-20C (-4F) to +45C (+113F)  47.78  1  Plastic
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish	-20C (-4F) to +45C (+113F)  47.78  1  Plastic  Frost
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material	-20C (-4F) to +45C (+113F)  47.78  1  Plastic  Frost  Glass
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color	-20C (-4F) to +45C (+113F)  47.78  1  Plastic  Frost  Glass  White
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information	-20C (-4F) to +45C (+113F)  47.78  1  Plastic  Frost  Glass  White  0.44
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information  Additional Info	-20C (-4F) to +45C (+113F)  47.78  1  Plastic  Frost  Glass  White  0.44  CANADA ONLY
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information  Additional Info  Tube Guard Use	-20C (-4F) to +45C (+113F)  47.78  1  Plastic  Frost  Glass  White  0.44  CANADA ONLY  Yes
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information  Additional Info	-20C (-4F) to +45C (+113F)  47.78  1  Plastic  Frost  Glass  White  0.44  CANADA ONLY
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information  Additional Info  Tube Guard Use  Rated For Enclosed Fixture  Warranty	-20C (-4F) to +45C (+113F)  47.78  1 Plastic Frost Glass White 0.44  CANADA ONLY Yes Yes 5 Year Limited - T8 LED Bulbs -
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information  Additional Info  Tube Guard Use  Rated For Enclosed Fixture	-20C (-4F) to +45C (+113F)  47.78  1 Plastic Frost Glass White 0.44  CANADA ONLY Yes Yes 5 Year Limited - T8 LED Bulbs - Ballast Bypass
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information  Additional Info Tube Guard Use  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing	-20C (-4F) to +45C (+113F)  47.78  1 Plastic Frost Glass White 0.44  CANADA ONLY Yes Yes 5 Year Limited - T8 LED Bulbs - Ballast Bypass  CULus - Classified; cRUus - Recognized Component
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information  Additional Info  Tube Guard Use  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating	-20C (-4F) to +45C (+113F)  47.78  1 Plastic Frost Glass White 0.44  CANADA ONLY Yes Yes 5 Year Limited - T8 LED Bulbs - Ballast Bypass  CULus - Classified; cRUus - Recognized Component Damp
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information  Additional Info  Tube Guard Use  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating  Energy Star	-20C (-4F) to +45C (+113F)  47.78  1 Plastic Frost Glass White 0.44  CANADA ONLY Yes Yes 5 Year Limited - T8 LED Bulbs - Ballast Bypass  CULus - Classified; cRUus - Recognized Component Damp No
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information  Additional Info  Tube Guard Use  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating  Energy Star  DLC Approved	-20C (-4F) to +45C (+113F)  47.78  1 Plastic Frost Glass White 0.44  CANADA ONLY Yes Yes 5 Year Limited - T8 LED Bulbs - Ballast Bypass  cULus - Classified; cRUus - Recognized Component Damp No No
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information  Additional Info  Tube Guard Use  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating  Energy Star  DLC Approved  CA T20 / T24 Rationale	-20C (-4F) to +45C (+113F)  47.78  1 Plastic Frost Glass White 0.44  CANADA ONLY Yes Yes 5 Year Limited - T8 LED Bulbs - Ballast Bypass  CULus - Classified; cRUus - Recognized Component Damp No No Exempt - Base Not Regulated
Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information  Additional Info  Tube Guard Use  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating  Energy Star  DLC Approved  CA T20 / T24 Rationale  California Status	-20C (-4F) to +45C (+113F)  47.78  1 Plastic Frost Glass White 0.44  CANADA ONLY Yes Yes 5 Year Limited - T8 LED Bulbs - Ballast Bypass  cULus - Classified; cRUus - Recognized Component Damp No No No Exempt - Base Not Regulated Lawful for sale in California
Operating Temperature  Physical  MOL  MOD  Material  Lens Finish  Lens Material  Housing Color  Weight (lb.)  Additional Information  Additional Info  Tube Guard Use  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating  Energy Star  DLC Approved  CA T20 / T24 Rationale	-20C (-4F) to +45C (+113F)  47.78  1 Plastic Frost Glass White 0.44  CANADA ONLY Yes Yes 5 Year Limited - T8 LED Bulbs - Ballast Bypass  CULus - Classified; cRUus - Recognized Component Damp No No Exempt - Base Not Regulated

FCC Compliant	Yes
NSF Approved	Yes
Flicker Free	Yes
SDS Sheet	LED Lamp

Copyright 2023 Satco Products, Inc. All Rights Reserved

For More Information Visit: <a href="https://www.satco.com/">https://www.satco.com/</a>



