

Project Name

Location

Prepared By



## SATCO S23160

18W/LED/CCT/277-347V/E26

### Notes

[\[www\] 04-14-2023 09:00:01](#)

### General

Status	Active
Watts	18W
Incandescent Equivalent	90W
HID Equivalent	70W
Volts	277V-347V
Shape	Corncob
Base	Medium
ANSI Base	E26
Finish	White
CCT (Kelvin)	3000K/4000K/5000K
Temperature	Warm to Cool White
CRI	80+
Lumens	2340L/2520L/2430L
Beam Spread	300
Dimmable	Non-Dimmable
Hours Rated	50000
Product Category	Corncob
Technology	LED
Ballasting Requirements	Ballast Bypass

### Electrical

Operating Frequency	50/60Hz
Power Factor	0.9
Operating Position	Universal
Surge Protection	Built-in surge protection - 4KV
Operating Temperature	-30C (-22F) to +45C (+113F)

### Physical

MOL	6.22
MOD	2.36
Lens Finish	Clear
Lens Material	Plastic
Housing Color	Dark Gray
Photocell or Sensor	No
Weight (lb.)	0.57

### Additional Information

Rated For Enclosed Fixture	Yes
IP Rating	IP64
Installation Notes	Not for use in vapor tight fixtures.
Warranty	5 Year Limited - Hi-Pro

### Compliance

Safety Listing	cULus - Certified; cULus - Classified; cULus - Listed
Location Rating	Damp
DLC Approved	No
California Status	Non-Compliant
Title 20 / 24 Status	Non-Compliant
RoHS Compliant	Yes
FCC Compliant	Yes
SDS Sheet	LED_Lamp