

Project Name

Location

Prepared By



**Notes**

[www] 03-28-2023 09:13:27

**General**

|                         |  |
|-------------------------|--|
| Status                  | Discontinued                                     |
| Substitute              | S39752   |
| Watts                   | 60W  |
| Incandescent Equivalent | 500W   |
| Fluorescent Equivalent  | 85W  |
| HID Equivalent          | 250W   |
| Volts                   | 120V-277V  |
| Shape                   | Corncob  |
| Base                    | Mogul Extended                                   |
| ANSI Base               | EX39   |
| Finish                  | Clear  |
| CCT (Kelvin)            | 5000K  |
| Temperature             | Natural Light                                    |
| CRI                     | 80+  |
| Lumens                  | 7800L  |
| Beam Spread             | 360  |
| Dimmable                | Non-Dimmable                                     |
| Hours Rated             | 50000  |
| Product Category        | Corncob  |
| Technology              | LED  |
| Min Compartment Size    | Length: 8.27 in. Width: 9.25 in. Depth: 9.25 in. |
| Ballasting Requirements | Ballast Bypass                                   |

**Electrical**

|                       |                                   |
|-----------------------|-----------------------------------|
| Operating Frequency   | 50/60Hz                           |
| Power Factor          | >0.9                              |
| Operating Position    | Base Up or Down                   |
| Surge Protection      | Built-in surge protection - 2.5KV |
| Operating Temperature | -25C (-13F) to +45C (+113F)       |

**Physical**

|               |       |
|---------------|-------|
| MOL           | 8.56  |
| MOD           | 3.81  |
| Lens Finish   | Clear |
| Housing Color | White |
| Weight (lb.)  | 2.05  |

**Additional Information**

|                            |  |
|----------------------------|--|
| Additional Info            | Width 360 deg 3.8 in.; Width 270 deg 8.2 in.; Width 180 deg 9.3 in. Approved for totally enclosed fixtures; Base up or base down operation; For outdoor & indoor use; Emits no UV light / Contains no Mercury (Hg) |
| Rated For Enclosed Fixture | Yes  |
| IP Rating                  | IP65   |
| Installation Notes         | Not for use in vapor tight fixtures. Arms fully open diameter is 9.31 inches   |
| Warranty                   | 5 Year Limited - Hi-Pro  |

**Compliance**

|                      |   |
|----------------------|---|
| Safety Listing       | cULus - Certified; cULus - Classified; cULus - Listed |
| Location Rating      | Damp  |
| DLC Approved         | No  |
| California Status    | Lawful for sale in California                         |
| Title 20 / 24 Status | Lawful for sale                                       |
| Colorado Status      | Lawful for sale                                       |
| Hawaii Status        | Lawful for sale                                       |
| Nevada Status        | Lawful for sale                                       |
| Vermont Status       | Lawful for sale                                       |
| Washington Status    | Lawful for sale                                       |
| RoHS Compliant       | Yes   |
| FCC Compliant        | Yes   |
| SDS Sheet            | LED_Lamp  |