## SATCO NUVO

Project Name

ocation Prepared By



**SATCO S29856** 

9.5W/LED/CFL/3CCT/DR/4P

Notes

w1 10-27-2025 05:20

Status	Active	
Watts	9.5W	
Fluorescent Equivalent	18W/26W/32W	
Volts	Ballast Dependent	
Ballast Type	Туре А	
Shape	PL	
Base	G24q (4-Pin)	
ANSI Base	G24q	
Finish	Frost	
CCT (Kelvin)	3000K/3500K/4000K	
Temperature	Warm to Cool White	
CRI	80+	
Lumens	1100L/1150L/1200L	
Beam Spread	360	
Dimmable	Yes-Dimmable	
Hours Rated	50000	
Operating Position	Universal	
Technology	LED	

Electrical	
Ballasting Requirements	Ballast required, check compatibility
Operating Frequency	50/60Hz
Dimming Type	Triac
Dimming Note	Only Dimmable with Compatible Dimming Ballasts
Power Factor	0.9
THD	<20%
Operating Temperature	-20C (-4F) to +45C (+113F)

Physical	
MOL	6.9
MOD	1.4
Housing Color	White
Weight (lb.)	0.2

Additional Information		
Rated For Enclosed Fixture	Yes	
Warranty	5-Years	

Compliance	
Safety Listing	cULus - Certified; cULus - Classified; cRUus - Recognized Component
Location Rating	Damp
NSF Approved	Yes
California Status	Lawful for sale in California
Title 20 / 24 Status	Lawful for sale
RoHS Compliant	Yes
FCC Compliant	Yes
SDS Sheet	LED Lamp