SATCO NUVO

Project Name

ocation

Prepared By



Notes

ww1 09-11-2025 23:43:0

Status	Discontinued
Substitute	S49677
Watts	120W
Incandescent Equivalent	750W
Fluorescent Equivalent	200W
HID Equivalent	600W
Volts	120V-277V
Shape	Corncob
Base	Mogul Extended
ANSI Base	EX39
Finish	Clear
CCT (Kelvin)	4000K
Temperature	Cool White
CRI	80+
Lumens	16800L
Beam Spread	300
Dimmable	Non-Dimmable
Hours Rated	50000
Product Category	Corncob
Technology	LED
Min Compartment Size	Length: 17.32 in. Width: 9.25 in. Depth: 9.25 in.
Ballasting Requirements	Ballast Bypass- Direct wire only 100V-277V
Electrical	
Working Voltage	AC 100-277V
Operating Frequency	50/60Hz
Power Factor	>0.9
Operating Position	Base Up or Down
Surge Protection	Built-in surge protection - 6KV
Thermal Management	Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control).
Operating Temperature	-25C (-13F) to +45C (+113F)
Physical	
Tilysical	
MOI	10 34
	10.34
MOD	4.72
MOD Lens Finish	4.72 Clear
MOD Lens Finish Lens Material	4.72 Clear Plastic (PS)
MOD Lens Finish Lens Material Housing Color	4.72 Clear
MOD Lens Finish Lens Material Housing Color Weight (lb.)	4.72 Clear Plastic (PS) White
MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information	4.72 Clear Plastic (PS) White 3.69 Emits no UV light; Contains no Mercury (Hg)
MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Additional Info	4.72 Clear Plastic (PS) White 3.69 Emits no UV light; Contains no Mercury (Hg) Acceptable for use in food prep areas
MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Additional Info	4.72 Clear Plastic (PS) White 3.69 Emits no UV light; Contains no Mercury (Hg) Acceptable for use in food prep areas Yes
MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Additional Info Rated For Enclosed Fixture IP Rating	4.72 Clear Plastic (PS) White 3.69 Emits no UV light; Contains no Mercury (Hg) Acceptable for use in food prep areas Yes IP64
MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Additional Info Rated For Enclosed Fixture IP Rating Specification Note	4.72 Clear Plastic (PS) White 3.69 Emits no UV light; Contains no Mercury (Hg) Acceptable for use in food prep areas Yes IP64 DLC 5.1 replacement \$23145; Non-DLC replacement \$49677
MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Additional Info Rated For Enclosed Fixture IP Rating Specification Note Installation Notes	4.72 Clear Plastic (PS) White 3.69 Emits no UV light; Contains no Mercury (Hg) Acceptable for use in food prep areas Yes IP64 DLC 5.1 replacement S23145; Non-DLC replacement S49677 Not for use in vapor tight fixtures.
MOL MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Additional Info Rated For Enclosed Fixture IP Rating Specification Note Installation Notes Shatter-Proof Type	4.72 Clear Plastic (PS) White 3.69 Emits no UV light; Contains no Mercury (Hg) Acceptable for use in food prep areas Yes IP64 DLC 5.1 replacement \$23145; Non-DLC replacement \$49677

Shatter-Proof Type	Shatter resistant materials	
Warranty	5-Years	
Compliance		
Safety Listing	cULus - Certified; cULus - Classified; cULus - Listed	
Location Rating	Damp	
DLC Approved	No	
California Status	Lawful for sale in California	
Title 20 / 24 Status	Lawful for sale	
Colorado Status	Lawful for sale	
Hawaii Status	Lawful for sale	
Nevada Status	Lawful for sale	
Vermont Status	Lawful for sale	
Washington Status	Lawful for sale	
RoHS Compliant	Yes	
FCC Compliant	Yes	
SDS Sheet	LED_Lamp	