SATCO NUVO

Project Name

Prepared By



120W/LED/HID/4K/100-277V/EX39

Notes

Status	Discontinued
Substitute	S49677
Watts	120W
ncandescent Equivalent	750W
Fluorescent Equivalent	200W
HID Equivalent	600W
Volts	120V-277V
Shape	Corncob
Base	Mogul Extended
ANSI Base	EX39
Finish	Clear
CCT (Kelvin)	4000K
Temperature	Cool White
CRI	80+
Lumens	16800L
Beam Spread	300
Dimmable	Non-Dimmable
Hours Rated	50000
Product Category	Corncob
Technology	LED
Min Compartment Size	Length: 17.32 in. Width: 9.25 in. Depth: 9.25 in.
Ballasting Requirements	Ballast Bypass- Direct wire only 100V-277V
Electrical	
Working Voltage	AC 100-277V
Operating Frequency	50/60Hz
Power Factor	>0.9
Operating Position	Base Up or Down
Surge Protection	Built-in surge protection - 6KV
Thermal Management	Hi-PRO lamps are manufactured with a new Thermal Management circuit design (Temperature Control).
Operating Temperature	-25C (-13F) to +45C (+113F)
Physical	
MOL	10.34
MOD	4.72
Lens Finish	Clear
Lens Material	Plastic (PS)
Housing Color	White
Weight (lb.)	3.69
Additional Information	
Additional Info	Emits no UV light; Contains no Mercury (Hg) Acceptable for use in food prep areas
Rated For Enclosed Fixture	Yes
P Rating	IP64
	DLC 5.1 replacement S23145; Non-DLC replacement S49677
Specification Note	replacement 343077
Specification Note	Not for use in vapor tight fixtures.
·	

mistanderon motes	not for use in rupor tight intuites.
Shatter-Proof Type	Shatter resistant materials
Warranty	5-Years
Compliance	
Safety Listing	cULus - Certified; cULus - Classified; cULus - Listed
Location Rating	Damp
DLC Approved	No
California Status	Lawful for sale in California
Title 20 / 24 Status	Lawful for sale
Colorado Status	Lawful for sale
Hawaii Status	Lawful for sale
Nevada Status	Lawful for sale
Vermont Status	Lawful for sale
Washington Status	Lawful for sale
RoHS Compliant	Yes

Yes

LED_Lamp



FCC Compliant

SDS Sheet