

Project Name

Location

Prepared By



# SATCO S4293

CDM150/TD/830 R7S 231670

## Notes

[www] 08-23-2023 01:20:10

## General

|                    |                         |
|--------------------|-------------------------|
| Status             | Discontinued            |
| Watts              | 150W                    |
| Shape              | T7 DE                   |
| Base               | Recessed Single Contact |
| ANSI Base          | Rx7s                    |
| Finish             | Clear                   |
| CCT (Kelvin)       | 3000K                   |
| Temperature        | Warm White              |
| CRI                | 85 +                    |
| Lumens             | 13250L                  |
| Beam Spread        | 360                     |
| Hours Rated        | 15000                   |
| Operating Position | HOR +/- 45              |
| Product Category   | Metal Halide            |
| Technology         | HID                     |

## Electrical

|                       |                   |
|-----------------------|-------------------|
| Start Method          | Pulse Start       |
| Operating Temperature | Ballast Dependent |

## Physical

|        |             |
|--------|-------------|
| MOL    | 5.44        |
| MOD    | 0.88        |
| Lensed | Lensed Lamp |

## Additional Information

|          |         |
|----------|---------|
| Warranty | 3-Years |
|----------|---------|

## Compliance

|                      |                               |
|----------------------|-------------------------------|
| California Status    | Lawful for sale in California |
| Title 20 / 24 Status | Lawful for sale               |
| California Prop 65   | Lead                          |
| Colorado Status      | Lawful for sale               |
| Hawaii Status        | Lawful for sale               |
| Nevada Status        | Lawful for sale               |
| Washington Status    | Lawful for sale               |
| RoHS Compliant       | Yes                           |
| SDS Sheet            | Metal_Halide_Lamp             |